

Livestock



Biogas & Power plant



Wastewater



Livestock



Horizontal mixer



**No more problem for pumping just only liquid
- Non layer - Well mix - Quick homogenized**

Capacity	643 - 10,138 m ³ /hr
Motor power	1.5 - 25 kW
Distant	20 - 100 m
Total Solid (max)	12 %

Slurry pump



**With double chopping system
- Non clogged - High flow - Low maintenance**

Capacity	36 - 340 m ³ /hr
Motor power	2.2 - 45 kW
Head (max)	5 - 51 m
Discharge	65 - 150 mm
Total Solid (max)	12 %

Separator



**Save area for Solid-Liquid management
- Dry - Hygiene - Low maintenance**

Capacity	4 - 72 m ³ /hr
Motor power	3 - 11 kW
Dry matter	Up to 38%

Horizontal chopper pump




With double chopping system

- Non clogged
- High flow
- Low maintenance

Capacity	36 - 720 m ³ /hr
Motor power	0.75 - 45 kW
Head (max)	5 - 51 m
Discharge	40 - 200 mm
Total Solid (max)	12 %

Fine sludge separator




Recover water for your livestock

- Reduce sludge and COD
- High capacity
- Low power

Capacity	1 - 200 m ³ /hr
Motor power	0.55 - 3 kW
Dry solid in	0.5 %
Dry solid out	15 - 30 %



Drum filter



Don't worry with wastewater leakage to river

Capacity	1 - 200 m ³ /hr
Filter media	30 micron up





PSV Creation is professional solution provider for Livestock, Biogas and power plant, wastewater treatment systems also delivers equipments as such slurry pumps, mixers, separator, polymer unit and dewatering system.



59/19 Moo 12,
Omnoi, Krathumban,
Samutsakorn 74130 Thailand
Tel.: +66 9 8289 3834 Fax: +66 3411 2524
www.psvcreation.com



Professional Solution Provider